



Electrical Hardware

Wipaire Parts Sales Team:

1.888.947.2473

WIPLINE FLOATS - SKIS - MODIFICATIONS

Direct: 1.888.947.2473 | Fax: 651.451.1786 | www.wipaire.com
1700 Henry Avenue South - Fleming Field (KSGS) South St. Paul, MN 55075

Part Number	Part Description	Unit of Measure
007-00280-0001	Transister	EA
02-0250627-01	Assy, Flasher	EA
02-09-1104	Pin, Crimp Female, 1/8" DIA, 100/pkg	EA
02-09-2118	Pin, Crimp Male (100/Pkg)	EA
03-092022	Connector Plug, Male, 2 Connectors 1/8" DIA Side A, 2 Connectors 3/16" DIA Side B	EA
031-00343-0002	Switch	EA
0-332-209-211	Relay, 24V, 5 Prong	EA
0412007-1	Strap, Ground, Steel	EA
0422006-2	Mechanical Fuel Sending Unit, Scott C-172	EA
0770719-2	Diode, Assembly, 5/16 Stud & 3/16 Stud Ring Terminals, 22-18 Gauge, Nylon Insulation Red	EA
0770783-1	Diode, Assembly, 3/16 Stud & 3/16 Stud Ring Terminals, 22-18 Gauge, Nylon Insulation Red, 1980 to 1986	EA
0770783-2	Diode, Assembly, 1/4 Stud & 3/16 Stud Ring Terminals, 22-18 Gauge, Nylon Insulation Red, 1973 to 2979	EA
096-01074-0004	Capacitor	EA
1000 EGT	EGT Mixture Monitor	EA
1001121	Relay, DPDT, 24VDC Coil	EA
1001122	Relay, 4PDT, 24VDC Coil	EA
1001124	Pin, crimp terminal	EA
1001125	Pin, contact D-SUB	EA
1001127	Indicator, Green, 24vdc, Push to test	EA
1001128	Indicator, Amber, 24vdc, Push to test	EA
1001129	Switch, toggle 3 position	EA
1001131	Lens, Yellow	EA
1001132	Contact, Block 2 position	EA
1001133	LED, Yellow 24VDC	EA
1001136	Cable assy DB15 M/F 12.0ft	EA
1001137	Cable assy DB50 M/F 1.0ft	EA
1001138	Switch , toggle 3 position	EA
1001139	Contact , socket , 100/pk	EA
1001140	Switch , Toggle 2 position	EA
1001141	Potentiometer , 10K ohm	EA
1001142	Relay, DPDT, 24VDC Coil	EA
1001143	Switch Body, 2 position	EA
1002254	Mounting Strip, Relay, 1 Space	EA
1002255	Mounting Strip, Relay, 2 Space	EA
1002256	Mounting Strip, Relay, 3 Space	EA
1002267	Cable Tie, 4 in, Red	EA
1002268	Cable Tie, 4 in, Green	EA
1002269	Cable Tie, 4 in, Blue	EA
1003375	Switch	EA
1003410	LED Amber	EA
10-140	Terminal, Electrical - 10 Connection	EA
10-157134	Plug	EA
10-157135	Plug	EA
10-22824	Clock, Quartz A/C 24v, CA-7264	EA
10-357281	Condenser	EA
1073	Light	EA
110-317	ANTENNA WIRE, SHARC 7 EXTERNAL ELT, WHIP ANTENNA, 50 OHM	EA
1270082-1	Diode 28 Volt	EA

Part Number	Part Description	Unit of Measure
1270082-2	Diode 14 Volt	EA
1270717-1	Diode	EA
133-00096-0028	Resister	EA
134-05005-0002	Photo Cell	EA
1452535-2	Terminal, Control Cable	EA
1-480702-0	Pin & Socket Connector, Male, Mate-N-Lok, 4 Pin Contacts, Nylon, Natural Color, Free-Hanging, In-Line	EA
1-480703-0	Pin & Socket Connector, Female, 4 Pin Contacts, Nylon, Natural Color, Free-Hanging, Matrix Style	EA
1-480704-0	Pin & Socket Connector, Mate-N-Lok, Female, 6 Pin Contacts, Nylon, Natural Color, Free-Hanging, Matrix Style	EA
1-480705-0	Pin & Socket Connector, Female, 6 Pin Contacts, Nylon, Natural Color, Free-Hanging, Matrix Style	EA
1570102-22	Ground Strap, 5/16" DIA	EA
1-66506-0	Pin (22 used on one Float Installation)	EA
16TG1T14	Tefzel Wire, Shielded, 16 Gauge, 1 Conductor	FT
1816	Lamp, 14v	EA
1819	Lamp	EA
1-901-355-917	Terminal	EA
1HS6	Switch	EA
1N-2070	Assy, Diode	EA
1N4004	Diode, 2-1/2" Length	EA
1SE1-3	Switch (1SE1)	EA
206043-1	Receptacle, 14 Pin Female Cpc Sq/Flange #1	EA
22759-16-12-9GA1	Wire, 12 AWG, White, Marked GA1	FT
22759-16-12-9GA1	Wire, 12 AWG, White, Marked GA1	FT
22759-16-12-9GA20	Wire, 12 AWG, White, Marked GA20	FT
22759-16-12-9GA20	Wire, 12 AWG, White, Marked GA20	FT
22759-16-12-9GA4	Wire, 12 AWG, White, Marked GA4	FT
22759-16-12-9GA4	Wire, 12 AWG, White, Marked GA4	FT
22759-16-16-9	Wire, 16 AWG, White	FT
22759-16-18-9	Wire, 18 AWG, White	FT
22759-16-18-9	Wire, 18 AWG, White	FT
22759-16-18-9	Wire, 18 AWG, White	FT
22759-16-20-9	Wire, 20 AWG, White	FT
22759-16-20-9	Wire, 20 AWG, White	FT
22759-16-20-9	Wire, 20 AWG, White	FT
22759-16-20-9GE26	Wire, 20 AWG, White, Marked GE26	FT
22759-16-20-9GE26	Wire, 20 AWG, White, Marked GE26	FT
22759-16-20-9GE30	Wire, 20 AWG, White, Marked GE30	FT
22759-16-20-9GE30	Wire, 20 AWG, White, Marked GE30	FT

Part Number	Part Description	Unit of Measure
22759-16-20-9GE31	Wire, 20 AWG, White, Marked GE31	FT
22759-16-20-9GE31	Wire, 20 AWG, White, Marked GE31	FT
22759-16-22-9	Wire, 22 AWG, White	FT
22759-16-22-9	Wire, 22 AWG, White	FT
22759-16-22-9	Wire, 22 AWG, White	FT
22759-16-24-9	Wire, 24 AWG, White	FT
22759-16-24-9	Wire, 24 AWG, White	FT
22759-16-8-9	Wire, 8 AWG, White	FT
268N04X02	Fitting, nylon	EA
26K8678	Fuse 1/4 amp AGC - Slow Blow	EA
271-1315	Resistor, 330 Ohm 1/4 Watt	EA
272N04X02	Nylon Fitting, MALE BRANCH TEE, 1/4"	EA
2870	Probe, EGT	EA
291-1.5K-RC	Resistor	EA
291-100-RC	Resistor	EA
291-10K-RC	Resistor	EA
291-10M-RC	Resistor	EA
291-120-RC	Resistor	EA
291-12K-RC	Resistor	EA
291-12-RC	Resistor	EA
291-150K-RC	Resistor	EA
291-150-RC	Resistor	EA
291-15M-RC	Resistor	EA
291-180-RC	Resistor	EA
291-18K-RC	Resistor	EA
291-18-RC	Resistor	EA
291-1K-RC	Resistor	EA
291-2.2K-RC	Resistor	EA
291-2.7K-RC	Resistor	EA
291-220-RC	Resistor	EA
291-22K-RC	Resistor	EA
291-22-RC	Resistor	EA
291-270-RC	Resistor	EA
291-27K-RC	Resistor	EA
291-27-RC	Resistor	EA
291--3.3K-RC	Resistor	EA
291-3.3M-RC	Resistor	EA
291-3.9K-RC	Resistor	EA
291-3.9M-RC	Resistor	EA
291-330-RC	Resistor	EA
291-33K-RC	Resistor	EA
291-4.7K-RC	Resistor	EA
291-4.7M-RC	Resistor	EA
291-470-RC	Resistor	EA
291-47-RC	Resistor	EA
291-5.6K-RC	Resistor	EA
291-5.6M-RC	Resistor	EA
291-6.8M-RC	Resistor	EA
291-680-RC	Resistor	EA
291-820K-RC	Resistor	EA

Part Number	Part Description	Unit of Measure
291-820-RC	Resistor	EA
293-1.2M-RC	Resistor	EA
293-1.5K-RC	Resistor	EA
293-1.5M-RC	Resistor	EA
293-1.8K-RC	Resistor	EA
293-100-RC	Resistor	EA
293-10M-RC	Resistor	EA
293-120K-RC	Resistor	EA
293-120-RC	Resistor	EA
293-150K-RC	Resistor	EA
293-150-RC	Resistor	EA
293-180K-RC	Resistor	EA
293-1K-RC	Resistor	EA
293-2.2K-RC	Resistor	EA
293-2.2M-RC	Resistor	EA
293-2.7K-RC	Resistor	EA
293-2.7M-RC	Resistor	EA
293-3.3K-RC	Resistor	EA
293-3.9M-RC	Resistor	EA
293-33K-RC	Resistor	EA
293-390K-RC	Resistor	EA
293-39-RC	Resistor	EA
293-4.7M-RC	Resistor	EA
293-47-RC	Resistor	EA
293-5.6M-RC	Resistor	EA
293-560-RC	Resistor	EA
293-56-RC	Resistor	EA
293-6.8K-RC	Resistor	EA
293-6.8M-RC	Resistor	EA
293-6.8-RC	Resistor	EA
293-82-RC	Resistor	EA
320619	Ring Tongue Solderless Terminal, Stud & Tab Size #6, Blue, Wire Size (AWG) 16-14	EA
3373712C	Mounting Nut, Instrument, 0.187" Panel Range, 6-32	EA
35149	Ring Tongue Solderless Terminal, Stud & Tab Size #6, Yellow	EA
35C4915	Crimp Socket Contact, Male, Wire Size (AWG) 22-18	EA
387	Lamp, Incandescent	EA
3TC2-30	Circuit Breaker, Klixon 30 Amp	EA
4-140	Electrical Terminal - 4 Connection (28F702)	EA
4313	Lamp	EA
4509	Lamp	EA
46-9350635-500	Wire	FT
508-1-03986	Connector, Plessey	EA
50N328	Switch, Toggle, Three-Pole Double-Throw, On-On Switch, Solder Lug	EA
52C5FR	Speaker, 5-1/4 Pin-Cush, 3.2 OHM, Quam	EA
5802	Hamlin Switch 3 Wire	EA
5AE6000	Resistor	EA
60468	Fuse	EA
60619-1	Mate-N-Lok Socket, Crimp Connector, 20-14G	EA
6-140	Electrical Terminal - 6 Connection	EA
6238373-2	Bar Bus	EA
6238373-4	Bar Bus	EA

Part Number	Part Description	Unit of Measure
62800-001	Microphone, 100TRA Dynamic, Handheld	EA
6405-14L	DG	EA
65F1654	Switch,toggle	EA
679-1321-ND	Lamp-filament 28V 16mm	EA
6A10570-001	Buss Bar	EA
6A10570-002	Buss Bar	EA
6A10570-003	Buss Bar	EA
6A10570-004	Buss Bar	EA
6A10570-006	Buss Bar	EA
6A10630-001	Top Panel-Electrical Box	EA
6A10630-002	Side Panel-Cover Electrical Box	EA
6A10630-003	Side Panel-Cover Electrical Box	EA
6A10658-001	Bottom Panel-Electrical Box	EA
6A10658-002	Side Panel-Electrical Box	EA
6A10658-003	Side Panel - L.H. Side Electric Box	EA
7274-11-5	Breaker, Circuit Klixon	EA
7277-2-5	Breaker, Circuit 5 Amp, Klixon	EA
7651-713	Switch, Pressure	EA
8-140	Electrical Terminal - 8 Connection	EA
86255	ALCOR EGT PROBE TYPE K	EA
87F612	Breaker, Circuit, Thermal, 35a Rating, AC:250V, DC:50V, Trip Time 6-22 sec, Screw Mount	EA
87F675	Horn	EA
87F676	Horn	EA
8857K44	Switch	EA
8857K44	Switch	EA
89	Lamp	EA
90	Lamp	EA
92C3202	Crimp Pin Contact, Wire Size (AWG) 24-20, Contact Size 3, 8A Current	EA
94F1671	Crimp Socket Contact, Female, Wire Size (AWG) 22-18	EA
95-410006-51	Tube, Battery Box Vent	EA
97358	Split Loom Poly Wrap, 1/4 ", Black	FT
97358	Split Loom Poly Wrap, 1/4 ", Black	FT
97359	Split Loom Poly Wrap, 3/8 ", Black	FT
97361	Split Loom Poly Wrap, 1/2", Black	FT
97363	Split Loom Poly Wrap 3/4"-Black	FT
A101SYCB	Toggle Switch, SPDT, On-On, Solder Lug, 0.4 VA at 200v, Minature Dim	EA
A3600	Switch Repair Kit	EA
A428	Lens Cap, for Strobe Light	EA
A508-14	Light Lamp, 14v	EA
A650	Strobe Light, Tube, Flash, 14V-28V	EA
AGC-1	Fuse, 250v, (S2565-1)	EA
AGC-15	Fuse, 32v	EA
AGC-2	Cartridge Fuse, 250V, Rating 2A, Fast Acting Tube Type, 1/4 x 1-1/4 ", 1/4" DIA	EA
AGC-30	Fuse, 32v	EA
AGC-5	Fuse, 250v, (S2565-5)	EA
AGC-7-1/2	Fuse, 32v	EA
AGS1	Fuse, 250v	EA
AGS1/2	Fuse, 250v	EA
AGS10	Fuse	EA
AGS15	Fuse, 32v	EA

Part Number	Part Description	Unit of Measure
AN2552-3A	Receptacle, Ext. Power	EA
AN3025-300	Relay Cutout	EA
AN3057-6	Connector, 1/2"	EA
AN3115-1	Receptacle, Cable, Electrical	EA
AN3155-50-75	Rheostat	EA
AN3370-2	Relay, 200 AMP	EA
AN3371-2	Relay Starter, 200 AMP	EA
AN5745	Accelerometer, G-Meter	EA
AN9511-A(OHC)	Magneto	EA
ANL-40	Current Limiter, Switch, (ANL40)	EA
ANL500	Limiter	EA
B-1	Butt Connector, 16 - 14 Gauge, Blue, Nylon	EA
B-10	Female Quick Disconnect, Rolled Edge Design, 16 Gauge	EA
B-11	Knife Disconnect Splice, 16-14 Gauge, Blue	EA
B-12	Spare Wire Cap, 16-14 Gauge, Blue	EA
B-14	Faston1/4", 16-14 AWG	EA
B-2	Ring Connector Insulated, #4 Stud, 16 Gauge, Blue	EA
B-3	Ring Connector Insulated, #6S Stud, 16 Gauge, Blue	EA
B-4	Ring Connector Insulated, #8S Stud, 16-14 Gauge, Blue	EA
B-5	Ring Connector Insulated, #10 Stud, 16 Gauge, Blue	EA
B-6	Ring Connector Insulated, 1/4 Stud, 16 Gauge, Blue	EA
B-7	Ring Tongue Term, Nylon Insulated, 16-14 Gauge, 5/16 Stud, Blue	EA
B-8	Ring Connector Insulated, 3/8 Stud, 16 Gauge, Blue	EA
B-9	Male Quick Slide, 16-14 Gauge, Nylon Fully Insulated, 1/4 Tab Width, Blue	EA
BOSE HDST X	BOSE HDST X	EA
BPF	Plug, White Plastic, 1"	EA
BPF-BLK	Plug, Black Plastic, 1-3/4"	EA
BR05FW	Socket, 5 Prong, Plastic	EA
C15 GREEN	Switch Cap, Green	EA
C15 WHITE	Switch Cap, White	EA
C2F593	Restrictor, Piping Panel	EA
C486050	Wire	EA
C593003-0101	Sensor, 28 Volt	EA
C596504-0101	Speaker	EA
C611003-0101	Regulator	EA
C611008-0101	Alternator Assembly, Control Unit, 28v, VR580	EA
C621001-0102	Light, Cessna Beacon	EA
C622008-0101	Supply, Power, 14v	EA
C6363-10	Circuit Breaker	EA
C6FF10A367A	Brush Alternator	EA
C6FF10A367B	Brush Alternator	EA
CI-102	Antenna, Marker Beacon, Boat Type, Frequency 75 MHz	EA
CM3589-5	Breaker, Circuit	EA
CSP18S64	Restrictor	EA
DB-24659	TRW Junction Shell, Assembly	EA
DT3QT	Acid, Battery, Box of 3, 1 Qts Each	EA
DW-53	Voltmeter	EA
EC52137	Terminal - for Magneto	EA
G240	Battery, Dry Charge, For Cessna Models 152, 172, 182	EA
G241	Battery, Dry Charge, For Cessna Models 152, 172, 172R, 172S, 182	EA
G243	Battery, 15.5AMP, 24V, (G243D) (PS12-11M)	EA
G25	Battery, 25AMP, 12V, (G25D), (PS6-9)	EA

Part Number	Part Description	Unit of Measure
G35	Battery, 35AMP, DT2, (G350) (PS6-11)	EA
G6381E	Battery	EA
GF5500-90	Switch, Float 90	EA
GPSMAP-396	GPS, Hand Held	EA
HCM	Fuse Holder, Bussman	EA
HS105-1/2-0	Heat Shrink, Tubing - Black	FT
HS105-1/4-0	Heat Shrink, Tubing - Black	FT
HS105-1/8-0	Heat Shrink, Tubing - Black	FT
HS105-1/8-C	Heat Shrink, Tubing - Clear	FT
HS105-3/16-0	Heat Shrink, Tubing - Black	FT
HS105-3/32-0	Heat Shrink, Tubing - Black	FT
HS105-3/8-0	Heat Shrink, Tubing - Black	FT
HS105-5/8-0	Heat Shrink, Tubine - Black	FT
HS105-5/8-0	Heat Shrink, Tubine - Black	FT
JE5	Actuator Switch	EA
K3215	Brush, Carbon, Assembly Kit	EA
KHS17D11-24V	Relay, 24V DC, 1/10 HP, 3A, 120 VAC	EA
L8	Switch, Liquid Level, Float	EA
LW2028	LIGHT WEDGE, 2-1/4", 28V, PMA	EA
LW3028AA	LIGHT WEDGE, 3-1, 8", 28V, ALT CUT	EA
M39029/4-110	Pin, Crimp, 20 Gauge	EA
M39029/4-113	Pin Contact, 4 Pin, (2 used on one Float Installation)	EA
M39029/4-114	Pin, Contact Size 12-16 Pin (2 used on one Float Installation)	EA
M39029/5-115	Socket, Contact Size 20 Socket	EA
M39029/5-118	Socket, Contact Size 12 Socket, (2 used on one Float Installation)	EA
M39029/5-119	Socket, Contact Size 12-16 Socket, (2 used on one Float Installation)	EA
MB56C902-3KIT	Bearings and Brushes (24v Motor)	EA
MN1300	Battery Duracell	EA
MS24166D1	Relay	EA
MS24166D2	Relay	EA
MS24166D2	Relay	EA
MS25089-4AR	Switch	EA
MS25166-1	Knob, Black, 5/8"	EA
MS25309-7512-12	Light, Nav 12v (RA7512-12)	EA
MS25309-7512-24	Light, Nav 24v(old CMA7512-24)	EA
MS25331-2	Lamp, Incandescent, Light, Red	EA
MS25331-4	Lamp, Incandescent, Light, Amber	EA
MS27406-1	Switch, Ext Power	EA
MS27406-3	Switch, Gen Reset	EA
MS27407-1	Switch, Aux Fuel Pump	EA
MS27484T20F16 S	Plug, RFI	EA
MS27488-12	Plug	EA
MS27488-20	Plug	EA
MS28034-3	Bulb Oil Temp	EA
MS28934-1	Current Limiter Block, mounts 35-750 AMP	EA
MS3057-6A	Backshell	EA
MS3102A-18-6P	Receptacle, Component	EA
MS3106A-145-9P	Receptacle, w/ Plug Screw	EA

Part Number	Part Description	Unit of Measure
MS3106A14S-2S	Connector, Circular, Straight Plug, Aluminum Alloy, 4 Contact, Shell Size14S, Solder Type	EA
MS3106B-18-6S	Receptacle, 90 Deg, Fitting, 1" DIA	EA
MS3112E8-4P	Connector, Receptacle Box Mount, 4 Size-20 Pin Contacts, Solder Type, Shell Size 8	EA
MS3116E8-33S	Connector	EA
MS3116E8-4S	Connector, Metal Circular, Straight Plug, Size 8, 4 #20 Solder Socket Contact	EA
MS3417-14N	Backshell, 7/8-14 Thread	EA
MS3417-20C	Backshell, 1-1/8-12 Thread	EA
MS3452W24-28P	Connector, Bulkhead	EA
MS3456W10SL-3S	Connector, Plug	EA
MS3456W10SL-4S	Connector, Solderless	EA
MS3456W12S-3S	Connector, Plug	EA
MS3456W14S-2S	Connector Plug	EA
MS3456W14S-7S	Connector, Plug	EA
MS3456W24-28S	Connector, Plug	EA
MS3470W12-10S	Plug, Connector, Receptacle	EA
MS3470W14-04S	Connector Plug, Receptacle, 4 Position Circular Connection, w/Pin Kit, (2 used on one Float Installation)	EA
MS3470W14-4S	Connector, Plug	EA
MS3476L14-4P	Connector, Plug	EA
MS3476W12-10P	Connector Plug, 10 Position Circular Connection, w/Pin Kit, (2 used on one Float Installation)	EA
MS3476W14-4P	Connector Plug, 4 Position Circular Connection, w/Pin Kit, (2 used on one Float Installation)	EA
MS35058-22	Switch, Toggle, Single-Pole Single-Throw, On-None-Off Switch, Solder Lug, Environmentally Sealed	EA
MS35059-23	Switch, Fire Extinguisher System	EA
MS35059-27	Toggle Switch, Breaker Kit, Two Pole, Environmentally Sealed	EA
MS35059-31	Switch, Starter	EA
OR95-1-5	Resistor	EA
P-110	Probe, EGT	EA
P52-0007	Breaker Kit, Retrofit	EA
PDLM-50	Breaker, Circuit, 28V	EA
PDLM-80	Breaker, Circuit, 80, Red	EA
R-1	Butt Connector, 16 - 22 Gauge, Red, Nylon	EA
R-10	Connector, Female, Quick Slide, 18 - 22 Gauge, Nylon Grip, Fully Insulated, 1/4 Tab Width, Red	EA
R-11	Knife Disconnect Splice, 16 - 22 Gauge, Red	EA
R-12	Spare Wire Cap, 22-18 Gauge, Red	EA
R-13	Crimp connector	EA
R-14	Crimp connector	EA
R-15	Crimp connector	EA
R-2	Ring Connector, #4 Stud, 20 Gauge, Red	EA

Part Number	Part Description	Unit of Measure
R-3	Ring Connector Insulated, #6 Stud, 20 Gauge, Red	EA
R-4	Ring Connector Insulated, #8 Stud, 20 Gauge, Red	EA
R-5	Ring Connector Insulated, #10 Stud, 20 Gauge, Red	EA
R-6	Ring Connector Insulated, 1/4 Stud, 20 Gauge, Red	EA
R-7	Ring Connector Insulated, 5/16 Stud, 20 Gauge, Red	EA
R-8	Ring Connector Insulated, 3/8 Stud, 20 Gauge, Red	EA
R-9	Male Quick Slide, Insulated Grip, 22-18 Gauge, Nylon Fully Insulated, 1/4 Tab Width, Red	EA
RC-1	Ring Non-Insulated, 8 Gauge, 8mm Stud	EA
RC-10	Ring Tongue Term, Nylon Insulated, 8 Gauge, 3/8 Stud, Red	EA
RC-11	Ring Tongue Term, Nylon Insulated, 8 Gauge, 1/2 Stud, Red	EA
RC-12	Ring Non-Insulated, 6 Gauge, #10 Stud	EA
RC-13	Ring Non-Insulated, 6 Gauge, 1/4 Stud	EA
RC-14	Ring Non-Insulated, 6 Gauge, 5/16 Stud	EA
RC-15	Ring Non-Insulated, 6 Gauge, 3/8 Stud	EA
RC-16	Ring Tongue Term, Nylon Insulated, 6 Gauge, #10 Stud, Blue	EA
RC-17	Ring Tongue Term, Nylon Insulated, 6 Gauge, 1/4 Stud, Blue	EA
RC-18	Ring Tongue Term, Nylon Insulated, 6 Gauge, 3/8 Stud, Blue	EA
RC-19	Ring Non-Insulated, 6 Gauge, 1/2 Stud	EA
RC-2	Ring Non-Insulated, 8 Gauge, 10mm Stud	EA
RC-20	Ring Tongue Term, Nylon Insulated, 6 Gauge, 5/16 Stud, Blue	EA
RC-21	Ring Tongue Term, Nylon Insulated, 6 Gauge, 1/2 Stud, Blue	EA
RC-22	Ring Non-Insulated, 4 Gauge, #10 Stud	EA
RC-23	Ring Non-Insulated, 4 Gauge, 1/4 Stud, Wide Rim	EA
RC-24	Ring Non-Insulated, 4 Gauge, 1/4 Stud, Narrow Rim	EA
RC-25	Ring Non-Insulated, 4 Gauge, 5/16 Stud	EA
RC-26	Ring Tongue Term, Nylon Insulated, 4 Gauge, 8/10 Stud, Yellow	EA
RC-27	Ring Tongue Term, Nylon Insulated, 4 Gauge, 1/4 Stud, Yellow	EA
RC-28	Ring Tongue Term, Nylon Insulated, 4 Gauge, 5/16 Stud, Yellow	EA
RC-29	Ring Non-Insulated, 4 Gauge, 3/8 Stud	EA
R-C2-WA-3-3	Cap, Nose	EA
RC-3	Ring Non-Insulated, 8 Gauge, 1/4 Stud	EA
RC-30	Ring Non-Insulated, 4 Gauge, 1/2 Stud	EA
RC-31	Ring Non-Insulated, 4 Gauge, 5/8 Stud	EA
RC-32	Ring Tongue Term, Nylon Insulated, 4 Gauge, 3/8 Stud, Yellow	EA
RC-33	Ring Tongue Term, Nylon Insulated, 4 Gauge, 7/16 Stud, Yellow	EA
RC-34	Ring Tongue Term, Nylon Insulated, 4 Gauge, 1/2 Stud, Yellow	EA
RC-35	Ring Non-Insulated, 2 Gauge, 1/4 Stud	EA
RC-36	Ring Non-Insulated, 2 Gauge, 5/16 Stud	EA
RC-37	Ring Non-Insulated, 2 Gauge, 3/8 Stud	EA
RC-4	Ring Connector, 5/16 Stud, 8 Gauge, Non-Insulated	EA
RC-40	Connector Stud - Non Insulated Ring	EA
RC-5	Ring Tongue Term, Nylon Insulated, 10 Stud, 8 Gauge	EA
RC-6	Ring Tongue Term, Nylon Insulated, 1/4 Stud, 8 Gauge, Red	EA
RC-7	Ring Tongue Term, Nylon Insulated, 5/16 Stud, 8 Gauge, Red	EA
RC-8	Solderless Ring Tongue Term, Stud 5/16 - 3/8, Non-Insulated, Wire No. 8	EA
RC-9	Solderless Ring Tongue Term, Stud 7/16 - 1/2, Wire No. 8	EA
RCR32G201JP	Resistor	EA
RD0015H1600JBC	Rheostat, Clocking Tab & Doubler Clocking Hole	EA
RG400	Coaxial Cable, Solid silver-plated copper conductor. Diameter .116", 200ft /roll. ONLY ORDER 200FT PER ROLL	FT

Part Number	Part Description	Unit of Measure
RG400	Coaxial Cable, Solid silver-plated copper conductor. Diameter .116", 200ft /roll. ONLY ORDER 200FT PER ROLL	FT
RG-58	Coax 200ft/roll	FT
RH2B-V-24DC	Relay, 24v, 8 Prongs	EA
RH-5-180	Resistor, 28V, Dale RH5 5W	EA
RH-5-35	Resistor, 14V, Dale RH5 5W	EA
RHM38E	Plug, Spark, Champion, Shielded 3/4"-20 Thread (All Weather Plug), Mounting Thread 1/2"/1.27cm, 0.016-0.021 Gap	EA
RM660	Sheet Acrylic Cast Gray (#144-7 or 2515) .125in X 48.00in X 96.00in	SF
RM660	Sheet Acrylic Cast Gray (#144-7 or 2515) .125in X 48.00in X 96.00in	SF
RNF-3/32-0	Tubing, Shrink Black	FT
S1091-35	Fuse, 250v	EA
S1232-505	Breaker, Circuit, 5 Amps, 50 VDC	EA
S1232-55	Breaker, Circuit, 55 Amps, 50 VDC	EA
S1360-20L	Breaker, Circuit, 20 amp, White	EA
S1360-2AL	Breaker, Circuit, 2 amp, White	EA
S1635-1SF	Pin	EA
S1635-2	Pin	EA
S1636-4LP	Pin SS To 2601048-200	EA
S1637-3	Housing SS To 2601048-200	EA
S1637-4	Housing	EA
S1660A1	Contactor, External Power, 12v	EA
S1661-4	Switch	EA
S1696-1	Switch, Toggle, One Pole, On-Off-On, 28 V DC, 5 Amp, 115 v	EA
S1829-1	Terminal	EA
S1830-1	Terminal	EA
S1837-1	Pin	EA
S1843-1	Bracket Holder, 1-1/4" X 5/8" Opening	EA
S1845-1-1	Switch, Cessna, White Switch Button	EA
S1845-2-2	Switch, Cessna, Grey Switch Button	EA
S1846-1-1	Switch, Master, Cessna, White Switch Buttons	EA
S1846-3-2	Switch, Master, Cessna, Red & Yellow Switch Buttons	EA
S1853-1	Receptacle, 3/16" DIA	EA
S1853-4	Pin, 1/16" DIA, 5/16" Length	EA
S1876-3	Bulb, Light, Red, 12 V, 3/8" DIA	EA
S1880-5	Rheostat	EA
S1893-1	Socket Assembly	EA
S1894-2	Bulb, Light, Red, 3/16" DIA	EA
S1904-2	Switch, Rheostat, Potentiometer, 24 v	EA
S1952-1	Switch, Flap, Cargo Door	EA
S2055-1-1	Switch, Master, Cessna, Red & Yellow Switch Buttons	EA
S2091-1	Rheostat, (replaces S2091-2)	EA
S2091-3	Resistor/Rheostat, (old # S2091-4)	EA
S2161-1	Switch, Cover	EA
S2206-1203	Conduit Cylinder #5R	EA
S2327-1	Switch, Flap, 5 Amp, 250 VAC	EA
S2340-25	Socket, Housing	EA
S2373-1	Housing	EA
S2374-1	Fuse Holder Kit	EA
S2446-32	Plug, White 2" DIA	EA
S2446-4-WIP	Plug, Plastic, 1/4", Black	EA
S2446-5-WIP	Plug, Plastic, 5/16", Black	EA

Part Number	Part Description	Unit of Measure
S2446-6	Plug, Plastic, 7/16"	EA
S2446-7	Finishing Plug, 7/16", Black	EA
S2446-8-WIP	Plug, Plastic, 1/2", Black	EA
S2446G7	Plug, Plastic, 7/16"	EA
S2524-1	Socket	EA
S2526-3	Connector, kit	EA
S2565-1	Fuse	EA
S2637-4Z10	Pin, Groove, 5/8" Length, 1/16" DIA	EA
S2637-6Z11	Pin, Groove, 5/8" Length, 1/8" DIA	EA
S2654-24	Connector, kit	EA
S2654-26	Connector, Kit	EA
S3300-2	Sender, Fuel, Quantity	EA
S3374-1	Manifold Pressure Indicator, Fuel Flow	EA
S3377-1-1	Switch, Master, Cessna, White Switch Buttons	EA
SPWRT 444	Pin, Bolt End, 1/2-20 Thread	EA
TVA1315	Capacitor	EA
VAL3-200	Resistor	EA
VR300-14-50	Regulator, Voltage	EA
W23-X1A1G-25	Breaker, Circuit 25 Amp (24 Volt)	EA
W23-X1A1G-40	Breaker, Circuit 40 Amp (12 Volt)	EA
W23-X1A1G-40	Breaker, Circuit 40 Amp (12 Volt)	EA
W23-X1A1G-5	Breaker, Circuit 5 Amp	EA
W31-35	Breaker, Circuit, 35 Amp, Screw termination, Trip-free operation	EA
W31X2M1G-40	Breaker, Circuit Potter Brumfield	EA
W31-X2M1G-5	Breaker, Circuit 5 Amp	EA
W58-XB	Breaker, Circuit	EA
Y-1	Butt Connector, 10-12 Gauge, Yellow, Nylon	EA
Y-1	Butt Connector, 10-12 Gauge, Yellow, Nylon	EA
Y-10	Male Quick Slide, Insulated Grip, 10-12 Gauge, Nylon Fully Insulated, 1/4 Tab Width, Yellow	EA
Y-11	Knife Disconnect Splice, 12-10 Gauge, Yellow	EA
Y-12	Spare Wire Cap, 12-10 Gauge, Yellow	EA
Y-13	Ring Connector, Heavy Duty, Nylon Insulation, #6 Stud, 16-12 AWG, Yellow	EA
Y-2	Ring Connector Insulated, #6 Stud, 12 Gauge, Yellow	EA
Y-3	Ring Connector Insulated, #8 Stud, 12 Gauge, Yellow	EA
Y-4	Ring Connector Insulated, #10 Stud, 12 Gauge, Yellow	EA
Y-5	Ring Terminal, Insulated, 1/4 Stud, 12-10 Gauge, Yellow	EA
Y-5	Ring Terminal, Insulated, 1/4 Stud, 12-10 Gauge, Yellow	EA
Y-6	Ring Connector Insulated, 5/16 Stud, 10 Gauge, Yellow	EA
Y-7	Ring Connector Insulated, 3/8 Stud, 10 Gauge, Yellow	EA
Y-8	Ring Connector Insulated, 1/2 Stud, 10 Gauge, Yellow	EA
Y-9	Female Quick Slide, Insulated Grip, 12-10 Gauge, Nylon Fully Insulated, 1/4 Tab Width, Yellow	EA